

SAFETY DATA SHEET
METAFIX® I-3, I-6A, I-7A Reagent

SDS # : METAFIX3
Revision date: 2016-12-05
Format: NA
Version 1



1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name METAFIX® I-3, I-6A, I-7A Reagent

Synonyms Reduced iron: Iron, Ferrum, Carbonyl iron, ferrous iron. Iron sesquioxide: Ferric(III) oxide, anhydrous iron oxide; indian red oxide. Activated carbon: Activated charcoal, Carbon black, Carbon soot, Charcoal, Lampblack. Calcium carbonate: Carbonic acid, calcium salt (1:1); Precipitated chalk. Iron sulfide: Pyrite, Marcasite, iron disulfide, iron (II) sulfide, ferric disulfide.

Recommended use of the chemical and restrictions on use

Recommended Use: Remediation of contaminated soil and groundwater

Restrictions on Use Not for direct treatment of potable drinking water.

Manufacturer/Supplier

PeroxyChem LLC
2005 Market Street
Suite 3200
Philadelphia, PA 19103
Phone: +1 267/ 422-2400 (General Information)
E-Mail: sdsinfo@peroxychem.com

Emergency telephone numbers

For leak, fire, spill or accident emergencies, call:
1 800 / 424 9300 (CHEMTREC - U.S.A.)
1 703 / 527 3887 (CHEMTREC - Collect - All Other Countries)
1 303/ 389-1409 (Medical - U.S. - Call Collect)

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200) and the 2015 Workplace Hazardous Materials Information System (WHMIS)

Combustible dust

GHS Label elements, including precautionary statements

EMERGENCY OVERVIEW

Warning

Hazard Statements

May form combustible dust concentrations in air

Precautionary Statements - Prevention

Keep away from all ignition sources including heat, sparks and flame.
 Keep container closed and grounded.
 Prevent dust accumulations to minimize explosion hazard.

Hazards not otherwise classified (HNOC)

May form combustible dust concentrations in air

Other Information

Supplemental Information

Use non-sparking tools and equipment. CONTAINMENT HAZARD: Any vessel that contains wet product must be vented due to potential pressure build up from gases.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS-No	Weight %
Reduced Iron	7439-89-6	25 - 35
Iron Sesquioxide	1309-37-1	25 - 35
Activated carbon	7440-44-0	< 25
Calcite	1317-65-3	< 25
Iron sulfide	1309-36-0	< 35

Occupational exposure limits, if available, are listed in section 8 Synonyms are provided in Section 1.

4. FIRST AID MEASURES

Eye Contact	Rinse thoroughly with plenty of water, also under the eyelids. If eye irritation persists, consult a specialist.
Skin Contact	Wash off with soap and water. If skin irritation persists, call a physician.
Inhalation	Remove person to fresh air. If signs/symptoms continue, get medical attention.
Ingestion	Rinse mouth with water and afterwards drink plenty of water or milk. Call a poison control center or doctor immediately for treatment advice.
Most important symptoms and effects, both acute and delayed	May cause skin and eye irritation. May cause respiratory tract irritation.
Indication of immediate medical attention and special treatment needed, if necessary	Treat symptomatically

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media Carbon dioxide (CO₂). Dry chemical. Water spray. Foam.

Specific Hazards Arising from the Chemical Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.

Flammable properties Combustible material

Hazardous Combustion Products Carbon oxides (COx).

Explosion data
Sensitivity to Mechanical Impact Not sensitive.
Sensitivity to Static Discharge Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.

Protective equipment and precautions for firefighters As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions Avoid dust formation. Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area). Avoid contact with eyes. Use personal protective equipment. For personal protection see Section 8.

Other For further clean-up instructions, call PeroxyChem Emergency Hotline number listed in Section 1 "Product and Company Identification" above.

Environmental Precautions Local authorities should be advised if significant spillages cannot be contained.

Methods for Containment Maintain good housekeeping practices to avoid accumulation of settled dust, especially on overhead surfaces. Cover powder spill with plastic sheet or tarp to minimize spreading and keep powder dry.

Methods for cleaning up Pick up and transfer to properly labeled containers. Take precautionary measures against static discharges. Do not dry sweep dust. Wet dust with water before sweeping or use a vacuum to collect dust. Keep in suitable and closed containers for disposal. The waste may be recovered and recycled.

7. HANDLING AND STORAGE

Handling Minimize dust generation and accumulation. Avoid contact with eyes. Avoid breathing dust. Keep away from open flames, hot surfaces and sources of ignition. Wear personal protective equipment. Refer to Section 8.

Storage Store in a well-ventilated place. Keep cool. Keep away from open flames, hot surfaces and sources of ignition. Any vessel that contains wet product must be vented due to potential pressure build up from gases.

Incompatible products Oxidizing agents Strong acids Strong bases Oxidizing agents. Strong acids. Strong bases.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH	Mexico
Iron Sesquioxide 1309-37-1	TWA: 5 mg/m ³	TWA: 10 mg/m ³ TWA: 15 mg/m ³ TWA: 5 mg/m ³	IDLH: 2500 mg/m ³ TWA: 5 mg/m ³	Mexico: TWA 5 mg/m ³ Mexico: STEL 10 mg/m ³

Activated carbon 7440-44-0	-	-	-	Mexico: TWA 2 mg/m ³
Calcite 1317-65-3	-	TWA: 15 mg/m ³ TWA: 5 mg/m ³	TWA: 10 mg/m ³ TWA: 5 mg/m ³	Mexico: TWA 10 mg/m ³ Mexico: STEL 20 mg/m ³
Iron sulfide 1309-36-0	TWA: 1 mg/m ³	-	-	-
Chemical name	British Columbia	Quebec	Ontario TWAEV	Alberta
Iron Sesquioxide 1309-37-1	TWA: 10 mg/m ³ TWA: 3 mg/m ³ TWA: 5 mg/m ³ STEL: 10 mg/m ³	TWA: 5 mg/m ³ TWA: 10 mg/m ³	TWA: 5 mg/m ³ respirable	TWA: 5 mg/m ³
Calcite 1317-65-3	TWA: 10 mg/m ³ TWA: 3 mg/m ³ STEL: 20 mg/m ³	TWA: 10 mg/m ³	-	TWA: 10 mg/m ³
Iron sulfide 1309-36-0	TWA: 1 mg/m ³	TWA: 1.0 mg/m ³	TWA: 1 mg/m ³	TWA: 1 mg/m ³

Appropriate engineering controls

Engineering measures Provide appropriate exhaust ventilation at places where dust is formed.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Whenever airborne dust concentrations are high, appropriate protective eyewear, such as mono-goggles, should be worn to prevent eye contact.

Skin and Body Protection Wear suitable protective clothing. Protective shoes or boots.

Hand Protection Protective gloves

Respiratory Protection Whenever dust in the worker's breathing zone cannot be controlled with ventilation or other engineering means, workers should wear respirators or dust masks approved by NIOSH/MSHA, EU CEN or comparable organization to protect against airborne dust.

Hygiene measures Clean water should be available for washing in case of eye or skin contamination. Remove and wash contaminated clothing before re-use. Do not eat, drink or smoke when using this product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance	Powder, dark brown to black
Physical State	Solid
Color	dark brown to black
Odor	No information available
Odor threshold	No information available
pH	6 - 8 (as aqueous solution)
Melting point/freezing point	No information available
Boiling Point/Range	No information available
Flash point	No information available
Evaporation Rate	No information available
Flammability (solid, gas)	Some of these materials will burn with intense heat
Flammability Limit in Air	
Upper flammability limit:	No information available
Lower flammability limit:	No information available
Vapor pressure	No information available
Vapor density	No information available
Density	No information available
Specific gravity	1.50 - 1.75 g/cm ³ @ 20°C
Water solubility	50 % w/w
Solubility in other solvents	No information available

Partition coefficient	No information available
Autoignition temperature	No information available
Decomposition temperature	No information available
Viscosity, kinematic	No information available
Viscosity, dynamic	No information available
Explosive properties	Low level dust explosion hazard
Oxidizing properties	No information available
Molecular weight	No information available
Bulk density	No information available

10. STABILITY AND REACTIVITY

Reactivity	None under normal use conditions.
Chemical Stability	Stable under recommended storage conditions.
Possibility of Hazardous Reactions	Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.
Hazardous polymerization	Hazardous polymerization does not occur.
Conditions to avoid	Heat, flames and sparks.
Incompatible materials	Oxidizing agents. Strong acids. Strong bases.
Hazardous Decomposition Products	Reacts with acids to release carbon dioxide gas and heat

11. TOXICOLOGICAL INFORMATION

Product Information

No acute toxicity information is available for this product. Data is for major component in product.

LD50 Oral	Iron: 98.6 g/kg bw (rat)
LD50 Dermal	No information available
LC50 Inhalation	No information available

Serious eye damage/eye irritation	Irritating to eyes.
Skin corrosion/irritation	Minimally irritating.

Sensitization Not expected to be sensitizing based on the components.

Component Information

Chemical name	LD50 Oral	LD50 Dermal	LC50 Inhalation	NOAEL Oral Value
Reduced Iron (7439-89-6)	98.6 g/kg (Rat)			
Iron Sesquioxide (1309-37-1)	> 10000 mg/kg (Rat)			
Activated carbon (7440-44-0)	> 10000 mg/kg (Rat)			

Information on toxicological effects

Symptoms Dust is irritating eyes, nose, throat, and lungs.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic toxicity Chronic exposure to dust at concentrations exceeding occupational exposure limits may cause pneumoconosis (lung disease).

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
---------------	-------	------	-----	------

Iron Sesquioxide 1309-37-1		Group 3		
-------------------------------	--	---------	--	--

IARC (International Agency for Research on Cancer)

Group 3 - Not classifiable as to its carcinogenicity to humans

Mutagenicity This product is not recognized as mutagenic by Research Agencies

Reproductive toxicity This product is not recognized as reprotox by Research Agencies.

STOT - single exposure No information available.
STOT - repeated exposure No information available.

Aspiration hazard Not applicable.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity effects Ecotoxicity effects of component substances

Chemical name	Toxicity to algae	Toxicity to fish	Toxicity to Microorganisms	Toxicity to daphnia and other aquatic invertebrates
Reduced Iron		96 h LC50: = 13.6 mg/L (Morone saxatilis) static		

Persistence and degradability Biodegradability does not pertain to inorganic substances.

Bioaccumulation Bioaccumulation is unlikely.

Mobility No information available.

Other Adverse Effects None known.

13. DISPOSAL CONSIDERATIONS

Waste disposal methods Recovery/recycling recommended. Dispose of in accordance with local regulations.

Contaminated Packaging Dispose of in accordance with local regulations.

14. TRANSPORT INFORMATION

DOT NOT REGULATED

TDG NOT REGULATED

15. REGULATORY INFORMATION

U.S. Federal Regulations

SARA 313

METAFIX® I-3, I-6A, I-7A Reagent

SDS # : METAFIX3
Revision date: 2016-12-05
Version 1

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

SARA 311/312 Hazard Categories

This product is not subject to reporting under the Emergency Planning and Community Right-to-Know rule.

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA/EPCRA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

U.S. State Right-to-Know Regulations

This product contains the following substances regulated under state Right-to-Know laws:

Chemical name	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Iron Sesquioxide	X	X	X		
Calcite	X	X	X		

California Proposition 65

This product does not contain any Proposition 65 chemicals

CANADA

Environmental Emergencies

This product contains no substances listed under Canada's Environmental Emergency regulations.

Canadian National Pollutant Release Inventory

This product contains no substances reportable under Canada's National Pollutant Release Inventory regulations.

International Inventories

Component	TSCA (United States)	DSL (Canada)	EINECS/EL INCS (Europe)	ENCS (Japan)	China (IECSC)	KECL (Korea)	PICCS (Philippines)	AICS (Australia)	NZIoC (New Zealand)
Iron Sesquioxide 1309-37-1 (<50)	X	X	X	X	X	X	X	X	X
Reduced Iron 7439-89-6 (<50)	X	X	X		X	X	X	X	X
Ferrous Sulfate Heptahydrate 7782-63-0 (<50)				X	X		X	X	X
Activated carbon 7440-44-0 (< 25)	X	X	X		X	X	X	X	X
Calcite 1317-65-3 (< 25)	X	X	X	X	X	X	X	X	X
Iron sulfide 1309-36-0 (< 35)	X	X	X		X	X	X	X	X

Mexico

Mexico - Grade

Slight risk, Grade 1

16. OTHER INFORMATION

NFPA	Health Hazards 0	Flammability 1	Stability 0	Special Hazards -
HMIS	Health Hazards 0	Flammability 1	Physical hazard 0	Personal Protection -

Revision date: 2016-12-05
Revision note: Initial Release
Issuing Date: 2017-04-13

Disclaimer

PeroxyChem believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. Further, since the conditions and methods of use are beyond the control of PeroxyChem, PeroxyChem expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared By:

PeroxyChem
 © 2018 PeroxyChem. All Rights Reserved.
End of Safety Data Sheet